



## **Multipole Connectors - Revos Basic METRIC**

The industrial standard, heavy duty, 500V, 16A













	Socket Insert Pl	ug Insert	Narrow Entr	y Hood	Top Entr	y Hood	Narrow Entry with Locking	•	Top Entry with Locking	
Description	Part No.	Part No.	Part No.	Gland	Part No.	Gland	Part No.	Gland	Part No.	Gland
10 POLE	70.300.1040.0	70.310.1040.0	70.350.1035.0	M20	70.352.1035.0	M20	70.355.1035.0	M20	70.357.1035.0	M20
16 POLE	70.300.1640.0	70.310.1640.0	70.350.1635.0	M25	70.352.1635.0	M25	70.355.1635.0	M25	70.357.1635.0	M25
24 POLE	70.300.2440.0	70.310.2440.0	70.350.2435.0	M25	70.352.2435.0	M25	70.355.2435.0	M25	70.357.2435.0	M25
32 POLE	70.300.3253.0	70.310.3253.0	70.350.3235.0	M32	70.352.3235.0	M32	-	-	-	-













	Socket Insert	Plug Insert	Open Entry Base	Double Enti	ry Base	with Protective Cover	with Protectiv	
Description	Part No.	Part No.	Part No.	Part No.	Gland	Part No.	Part No.	Gland
10 POLE	70.300.1040.0	70.310.1040.0	70.320.1028.0	70.330.1035.0	M20	70.325.1028.0	70.340.1035.0	M20
16 POLE	70.300.1640.0	70.310.1640.0	70.320.1628.0	70.330.1635.0	M25	70.325.1628.0	70.340.1635.0	M25
24 POLE	70.300.2440.0	70.310.2440.0	70.320.2428.0	70.330.2435.0	M25	70.325.2428.0	70.340.2435.0	M25
32 POLE	70.300.3253.0	70.310.3253.0	*70.320.3228.0	-	_	-	-	_

<sup>\*</sup> Contrary to picture, these bases have metal levers, more metal lever versions available on page 91.













	Socket Insert	Plug Insert	Narrow Entr	y Hood	Top Entr	y Hood	Single Ent	ry Base	with Protective	•
Description	Part No.	Part No.	Part No.	Gland	Part No.	Gland	Part No.	Gland	Part No.	Gland
6 POLE	70.300.0640.0	70.310.0640.0	70.350.0635.0	M20	70.352.0635.0	M20	-	-	-	-
48 POLE	70.300.4840.0	70.310.4840.0	70.350.4835.0	M32	70.352.4835.0	M32	70.331.4835.0	M32	70.344.4835.1	M40













						<b>Open Entry Base</b>	Double Ent	ry Base
	Socket Insert	Plug Insert	<b>Open Entry Base</b>	Double Ent	ry Base	with Protective Cover	with Protective	e Cover
Description	Part No.	Part No.	Part No.	Part No.	Gland	Part No.	Part No.	Gland
6 POLE	70.300.0640.0	70.310.0640.0	70.320.0628.0	70.330.0635.0	M20	70.325.0628.0	70.340.0635.0	M20
48 POLE	70.300.4840.0	70.310.4840.0	*70.320.4828.0	-	-	*70.325.4828.0	-	-

Note: PG and Metric thread Sizes

Worldwide the use of PG threads are being changed over to Metric thread sizes. Because of pre-existing demand, we need to supply in both styles of PG and Metric. Please select Metric thread multipoles wherever possible as PG threads will be phased out.

## **Hunter Engineering Sales Pty. Ltd.**

29 Torrens Ave Cardiff NSW 2285 Ph: 02 4952 8533 Fax: 02 4952 9117

Email: info@hesales.com.au Web: www.hesales.com.au





## **Multipole Connectors - Revos Basic PG**

The industrial standard, heavy duty, 500V, 16A













							Trainer Enter	y 1100u	TOP LITTE	y moou
	Socket Insert	Plug Insert	Narrow Entr	y Hood	Top Entr	y Hood	with Locking	Levers	with Locking	Levers
Description	Part No.	Part No.	Part No.	Gland	Part No.	Gland	Part No.	Gland	Part No.	Gland
10 POLE	70.300.1040.0	70.310.1040.0	70.350.1028.0	PG16	70.352.1028.0	PG16	70.355.1028.0	PG16	70.357.1028.0	PG16
16 POLE	70.300.1640.0	70.310.1640.0	70.350.1628.0	PG21	70.352.1628.0	PG21	70.355.1628.0	PG21	70.357.1628.0	PG21
24 POLE	70.300.2440.0	70.310.2440.0	70.350.2428.0	PG21	70.352.2428.0	PG29	70.355.2428.0	PG21	70.357.2428.0	PG29
32 POLE	70.300.3253.0	70.310.3253.0	70.350.3228.0	PG29	70.352.3228.0	PG29	-	-	-	-













					Open Linary base	Double Life	.i y Dusc
	Socket Insert	Plug Insert	<b>Open Entry Base</b>	<b>Double Entry Bas</b>	e with Protective Cover	with Protective	e Cover
Description	Part No.	Part No.	Part No.	Part No. Gland	Part No.	Part No.	Gland
10 POLE	70.300.1040.0	70.310.1040.0	99.513.0000.6	70.330.1028.0 PG1	70.325.1028.0	70.340.1028.0	PG16
16 POLE	70.300.1640.0	70.310.1640.0	99.502.0000.6	70.330.1628.0 PG2	70.325.1628.0	70.340.1628.0	PG21
24 POLE	70.300.2440.0	70.310.2440.0	99.531.0000.6	70.330.2428.0 PG2	70.325.2428.0	70.340.2428.0	PG21
32 POLE	70.300.3253.0	70.310.3253.0	70.320.3228.0	-		-	-













	Socket Insert	Plug Insert	Narrow Ent	try Hood	Top Ent	try Hood	Single Ent	ry Base	with Protective	-
Description	Part No.	Part No.	Part No.	Gland	Part No.	Gland	Part No.	Gland	Part No.	Gland
6 POLE	70.300.0640.0	70.310.0640.0	70.350.0628.0	PG13.5	70.352.0628.0	PG13.5	-	-	-	-
48 POLE	70.300.4840.0	70.310.4840.0	70.363.4828.0	PG36	70.362.4828.0	PG29	70.331.4828.0	PG29	70.344.4828.0	PG36













						Open Entry Base	Double Ent	try Base
	Socket Insert	Plug Insert	<b>Open Entry Base</b>	Double Enti	ry Base	with Protective Cover	with Protectiv	e Cover
Description	Part No.	Part No.	Part No.	Part No.	Gland	Part No.	Part No.	Gland
6 POLE	70.300.0640.0	70.310.0640.0	99.503.0000.6	70.330.0628.0	PG16	70.325.0628.0	70.340.0628.0	PG16
48 POLE	70.300.4840.0	70.310.4840.0	70.320.4828.0	-	-	70.325.4828.0	-	-

Note: PG and Metric thread Sizes

Worldwide the use of PG threads are being changed over to Metric thread sizes. Because of pre-existing demand, we need to supply in both styles of PG and Metric. Please select Metric thread multipoles wherever possible as PG threads will be phased out.

### **Hunter Engineering Sales Pty. Ltd.**

29 Torrens Ave Cardiff NSW 2285 Ph: 02 4952 8533 Fax: 02 4952 9117

Email: info@hesales.com.au Web: www.hesales.com.au





# **Multipole Connectors - Revos Coupling Hoods**

Coupling hoods for cable to cable coupling













		Basic		Basic		Basic		Basic	Eexi tr	umpet	Eexi tr	umpet
Description	Part No.	Gland										
6 POLE	70.372.0635.0	M20	-	-	99.547.0000.6	M20	-	-	99.741.3329.7	M20	-	-
10 POLE	71.372.1035.0	M20	70.372.1035.0	M20	99.548.0000.6	M20	99.700.0120.5	PG21	-	-	99.743.3329.7	M20
16 POLE	71.372.1635.0	M25	70.372.1635.0	M25	99.549.0000.6	M25	70.372.1628.0	PG21	-	-	99.745.3329.7	M25
24 POLE	71.372.2435.0	M25	70.374.2435.0	M32	-	-	-	-	-	-	99.748.3329.7	M32

## **Multipole Connectors - Revos Mini**

Metric

Thanks to its compact contact inserts with 3 to 8 poles revos MINI fits into mechanical, control and switchgear engineering applications as well as small motors and lighting technology.

Revos MINI with its connector housings in zinc die-cast or polyamide withstand the toughest application conditions.

#### **Specifications:**

- Screw connect 600V, 10A
- Crimp connect 50V,10A
- see page 96, for HD crimp contacts, use extraction tool"1"













	Socket insert	Plug insert	Socket insert	Plug insert crimp		
	screw clamp	screw clamp	crimp w/o contacts	w/o contacts	Basic single lever	Basic double lever
Size	Part No.	Part No.	Part No.	Part No.	Part No. Gland	Part No. Gland
3 POLE	73.300.0353.0	73.310.0353.0	-	-	76.350.0736.0 M20	76.352.0736.0 M20
4 POLE	73.300.0453.0	73.310.0453.0	-	-	76.350.0736.0 M20	76.352.0736.0 M20
7 POLE	-	-	*73.700.0753.0	*73.710.0753.0	76.350.0736.0 M20	76.352.0736.0 M20









Closed bottom base		om base	Open entry base	Open entry angled base	Coup	Coupling hood	
Size	Part No.	Gland	Part No.	Part No.	Part No.	Gland	
3 POLE	76.322.0736.0	M20	76.320.0729.0	76.321.0729.0	76.372.0736.0	M20	
4 POLE	76.322.0736.0	M20	76.320.0729.0	76.321.0729.0	76.372.0736.0	M20	
7 POLE	76.322.0736.0	M20	76.320.0729.0	76.321.0729.0	76.372.0736.0	M20	

**Hunter Engineering Sales Pty. Ltd.** 

29 Torrens Ave Cardiff NSW 2285 Ph: 02 4952 8533 Fax: 02 4952 9117

Email: info@hesales.com.au Web: www.hesales.com.au